


OPTIONAL DOOR SECURITY LOCK HASPS

FRONT AND REAR EQUIPMENT ACCESS DOORS, COMPLETE WITH (4) HINGES, (4) POINT LATCHING SYSTEM WITH LOCK, AND AN R.F. SEAL OF DUAL CONCENTRIC ROWS OF FINGER STOCK GASKET, AND ONE CONDUCTIVE FABRIC OVER FOAM GASKET


LOCKABLE SLIDE-OFF ACCESS PANEL FOR FIBRE-OPTICS PATCH PANEL CONNECTIONS




LEFT SIDE VIEW

OPTIONAL (4) INTERNALLY MOUNTED DUAL LINE 30A POWER LINE FILTERS, EACH WITH A 15' POWER CORD (WITH INBOARD STORAGE) AND CONNECTED TO AN INTERNALLY MOUNTED (6) OUTLET POWER STRIP WITH NEMA 15-20 RECEPTACLES (T-SHAPED NEUTRAL HOLE)


SLIDE OUT COOLING FAN TRAY WITH FRONT AND REAR INLET VENTS EQUIPPED WITH EASILY SERVICEABLE/RE-USEABLE DUST FILTERS. TRAY COMPLETELY REMOVABLE TO IMPROVE "GROUND CLEARANCE" WHILE MOVING CABINET



TOP VIEW



FRONT VIEW



BOTTOM VIEW

(4) LIFTING RINGS

UPPER AIR VENT WAVE GUIDE C/W OPTIONAL (6) THERMOSTAT CONTROLLED FANS

33.13
[841.4]

81.72
[2075.6]

44.61
[1133.2]

RIGHT SIDE VIEW

(4) SWIVEL CASTERS WITH INTEGRAL LEVELLING, DIELECTRIC FOOT PADS


THIS DRAWING AND DESIGN INCLUDING ALL NOVEL AND PATENTABLE FEATURES SEPARATELY OR COLLECTIVELY DISCLOSED AND INCLUDED THEREIN ARE THE PROPERTY OF RAYMOND EMC ENCLOSURES LTD AND ACCEPTANCE OF THIS PRINT CONSTITUTES AN AGREEMENT THAT IT WILL BE TREATED AS A CONFIDENTIAL DOCUMENT AND WILL BE USED IN THE ASSEMBLY OR OPERATION OF EQUIPMENT FURNISHED BY RAYMOND EMC ENCLOSURES LTD. THIS DRAWING SHALL NOT BE REPRODUCED, COPIED, LENT, DISCLOSED, PUBLISHED OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY AUTHORIZED IN WRITING BY RAYMOND EMC ENCLOSURES LTD.

SHOWN WITH PATCH PANEL FOR (144) LC-LC FIBRE-OPTIC CABLES (288 FIBRES) CONNECTED TO AN INTERNAL, VERTICALLY MOUNTED, PATCH PANEL USING 1Gb SPEED MULTI-MODE FIBRES. ACCESS TO PATCH PANEL THROUGH (12) CLEARANCE HOLES IN REAR FACE AND LOCKABLE SIDE ACCESS PANEL.

ELECTRONIC CONTROLLER FOR COOLING FANS

20.38
[517.5]


CLEAR
OPENING
FRONT
AND REAR




REAR VIEW

69.75
[1771.7]

CLEAR
OPENING
FRONT
AND REAR

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:				FINISH: BLACK POWDER COAT		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION 0	
								r a y m o n d e m c			
											
								QuietCab TEMPEST CABINET			
DRAWN		NAME D.E.C.		SIGNATURE		DATE 2008/03/31					
CHK'D											
APPV'D											
MFG											
Q.A						MATERIAL:		DWG NO.		QC-37RU CABINET FEATURES (LH)	
										A3	
						WEIGHT:		SCALE: 1:20		SHEET 1 OF 3	



FRONT ISOMETRIC VIEW

(4) SWIVEL CASTERS WITH INTEGRAL
LEVELLING DIELECTRIC FOOT PADS

OPTIONAL ADJUSTABLE
SEISMIC ANCHOR ANGLES

REAR ISOMETRIC VIEW

POWER CORDS

(12) FIBRE-OPTIC CABLE
FEED-THROUGH
ACCESS HOLES

THIS DRAWING AND DESIGN INCLUDING ALL NOVEL AND PATENTABLE FEATURES SEPARATELY OR COLLECTIVELY DISCLOSED AND INCLUDED THEREIN ARE THE PROPERTY OF RAYMOND EMC ENCLOSURES LTD AND ACCEPTANCE OF THIS PRINT CONSTITUTES AN AGREEMENT THAT IT WILL BE TREATED AS A CONFIDENTIAL DOCUMENT AND WILL BE USED IN THE ASSEMBLY OR OPERATION OF EQUIPMENT FURNISHED BY RAYMOND EMC ENCLOSURES LTD. THIS DRAWING SHALL NOT BE REPRODUCED, COPIED, LENT, DISCLOSED, PUBLISHED OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED EXCEPT AS EXPRESSLY AUTHORIZED IN WRITING BY RAYMOND EMC ENCLOSURES LTD.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:		FINISH: BLACK POWDER COAT		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION 0			
<div>raymondemc</div>											
<div>QuietCab TEMPEST CABINET</div>											
<div>DRAWN CHK'D APPV'D MFG Q.A</div>						<div>DWG NO.</div>		<div>QC-37RU CABINET FEATURES (LH)</div>		<div>A3</div>	
<div>NAME D.E.C.</div>						<div>SIGNATURE</div>		<div>DATE 2008/03/31</div>		<div>SCALE:1:12</div>	
<div>MATERIAL:</div>						<div>WEIGHT:</div>		<div>SHEET 2 OF 3</div>			



REAR ISOMETRIC VIEW

FRONT ISOMETRIC VIEW

THIS DRAWING AND DESIGN INCLUDING ALL NOVEL AND PATENTABLE FEATURES SEPARATELY OR COLLECTIVELY DISCLOSED AND INCLUDED THEREIN ARE THE PROPERTY OF RAYMOND EMC ENCLOSURES LTD AND ACCEPTANCE OF THIS PRINT CONSTITUTES AN AGREEMENT THAT IT WILL BE TREATED AS A CONFIDENTIAL DOCUMENT AND WILL BE USED IN THE ASSEMBLY OR OPERATION OF EQUIPMENT FURNISHED BY RAYMOND EMC ENCLOSURES LTD. THIS DRAWING SHALL NOT BE REPRODUCED, COPIED, LENT, DISCLOSED, PUBLISHED OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH IT IS SPECIFICALLY FURNISHED EXCEPT AS EXPRESSLY AUTHORIZED IN WRITING BY RAYMOND EMC ENCLOSURES LTD.

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES SURFACE FINISH: TOLERANCES: LINEAR: ANGULAR:				FINISH: BLACK POWDER COAT		DEBUR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		REVISION 0																																											
<div>raymondemc</div>																																																					
<div>QuietCab TEMPEST CABINET</div>																																																					
<table><tr><td>DRAWN</td><td>NAME D.E.C.</td><td>SIGNATURE</td><td>DATE 2008/03/31</td><td></td><td></td><td></td><td></td></tr><tr><td>CHK'D</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>APPV'D</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>MFG</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Q.A</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>								DRAWN	NAME D.E.C.	SIGNATURE	DATE 2008/03/31					CHK'D								APPV'D								MFG								Q.A								DWG NO.		QC-37RU CABINET FEATURES (LH)		A3	
DRAWN	NAME D.E.C.	SIGNATURE	DATE 2008/03/31																																																		
CHK'D																																																					
APPV'D																																																					
MFG																																																					
Q.A																																																					
WEIGHT:								SCALE:1:12		SHEET 3 OF 3																																											